



COOL DOG™
WASH TUBS.COM

CONTACT US

800-931-1562

sales@gymmsfordogs.com

PRO SERIES.

STANDARD STYLE DOG WASH TUB DL-DWPRO-60

The stainless steel Pro Dog Wash Tub brings innovation to animal bathing with a number of patented features that include methods to reduce water and shampoo use, keep hair out of drains and increase safety and ergonomics for bathers and pets. The high-capacity hair catching system keeps hair out of the drain while allowing all water to drain properly. It includes a stainless steel step-up tool, elevating bottom and mat set, quality hose fixture and bottle holder.

**ADA FRIENDLY
PARALLEL ACCESS**

Professional Grade, Quality Dog Wash Tubs for Apartments, Condos, HOAs, Campgrounds, Hotels, RV Parks, Animal Clinics, Daycares and more!



QUALITY



CLEAN



DURABLE

KEY FEATURES

STANDARD STYLE DOG WASH STATION PRO SERIES DL-DWPRO-60ADS

- 14 gauge 304 Stainless Steel all-welded construction.
- Lift-out door allows easy access without the need of ramps or stair systems
- The high-capacity hair catching system keeps hair out of the drain while allowing all water to drain properly
- Tub bottom platform and mat set for dog to stand on, which gives the dog traction and comfort and prevents slipping and sliding on wet soapy surfaces, and is helpful in keeping dogs under control
- Choice of left or right hand plumbing

ACCESSORY KIT

Stainless steel step-up stool, elevating bottom grate and mat set, quality hose fixture, and bottle holder



COOL DOG[™]
WASH TUBS.COM

www.CoolDogWashTubs.com
800-931-1562
sales@gymsfordogs.com

FAUCET

STANDARD STYLE DOG WASH STATION
PRO SERIES
DL-DWPRO-60ADS

Our Stainless Steel Dog Wash Tub comes with an easy install wall mounted High Prerinse Faucet. The Faucet comes with a host of features to make installation and use as easy as possible.



1.15 GPM FLOW RATE

The spray valve has a 1.15 GPM flow rate which helps you conserve water and save money on your utility bill. The easy to use hold-down ring lets you lock it in a continuous spray position for as long as you need.

96" FLEX HOSE

The flexible stainless steel hose on this model provides great range of motion and lets you direct the water exactly where you need it. This spring helps it retain its shape and keeps the spray valve positioned above the sink.



ADJUSTABLE WALL MOUNT CENTERS

The faucet mounts to the wall using a pair of 1/2" NPT female inlets with 2" flanges.

LEVER HANDLES, COMPRESSION CARTRIDGES



The Cool Dog Wash Tub faucet comes with lever handles. The cartridges feature a spindle design that moves up and down within a removable insert, which produces less wear and tear and greater reliability when compared to similar compression-style cartridges that move up and down within the faucet body itself. Additionally, this model comes with spring checks to prevent cross flow.

CHROME-PLATED BRASS

The chrome-plated brass construction, provides a polished look with the durability you expect from an industry-leading faucet manufacturer.



EASY-INSTALL DESIGN






This unit features innovative EasyInstall design to save you time when setting it up. The riser is designed with a lock nut and bushing that pop down into the faucet base, so that you only need to tighten the nut to secure the riser rather than



COOL DOG
WASH TUBS.COM

www.CoolDogWashTubs.com
800-931-1562
sales@gymsfordogs.com

**ADA DOG WASH STATION
DL-DWPRO-60S - RIGHT DRAINING SYSTEM**



NOTE: ALL DIMENSIONS MAY VARY SLIGHTLY DUE TO
NORMAL MANUFACTURING TOLERANCES



COOL DOG
WASH TUBS.COM

www.CoolDogWashTubs.com
800-931-1562
sales@gymsfordogs.com

FAUCET INSTALLATION

ADA DOG WASH STATION



DL-DWPRO-60ADA

PRODUCT DESCRIPTION

Pre-Rinse Unit: EasyInstall 8" Wall Mount Mixing Faucet, Quarter-Turn Eterna Cartridges w/ Spring Checks, Lever Handles, 96" Flexible Stainless Steel Hose, 1.42 GPM Spray Valve & 1/2" NPT Female Inlets.

PRODUCT COMPLIANCE

ASME A112.18.1 / CSA B125.1
NSF 61 - SECTION 9
NSF 372 (LOW LEAD CONTENT)
EPA Act 2005 (PRSV)



COOL DOG
WASH TUBS.COM

www.CoolDogWashTubs.com
800-931-1562
sales@gymsfordogs.com

WARRANTY

STANDARD STYLE DOG WASH STATION
PRO SERIES
DL-DWPRO-60ADS



Cool Dog Wash Tubs are warranted to be free from defects in materials and workmanship for a period of ONE YEAR from purchase date. This warranty applies to all features and components of the metal structure. Nitrile rubber insert pads (if included) are considered to be wear-out components and not covered by this warranty.

Whenever a Cool Dog Wash Tub requires repair or replacement under the terms of this warranty, it must be shipped prepaid to the manufacturer.

The Manufacturer will, at its discretion, repair or replace any wash tub requiring service under terms of this warranty at no charge to the owner of the bathtub. This warranty applies only to the original purchaser of the wash tub. It cannot be transferred to a secondary party.

Damage caused by misuse or mishandling of the product will not be covered under terms of the warranty. Terms of the warranty are subject to change at any time without notice.

Any inquiries regarding the warranty for Cool Dog Wash Tubs (including any built-in components) should be directed to Cool Dog Wash Tubs.



COOL DOG[™]
WASH TUBS.COM

www.CoolDogWashTubs.com
800-931-1562
sales@gymsfordogs.com